Index

Page numbers of symposium and clinic titles are given in **boldface** type.

ABDOMEN. See also *Gastrointestinal tract.*
  pain
    history and, 8
    psychogenic mishandling, 70
  surgical, overdiagnosis of, 79
Acetylsalicylic acid (Aspirin) obscuring diagnosis of rheumatic fever, 30
Acid, acetylsalicylic, (Aspirin), obscuring diagnosis of rheumatic fever, 30
Acidosis, treatment, 53–4
ACTH. See *Adrenocorticotropic hormone.*
Activity, spontaneous, failing to note, 13, 14
Adolescents, problems, lack of concern for, 72
Adrenals. See also *Adrenocorticotropic hormone.*
  ACTH stimulation, 44
Adrenocortical steroids, doses, 45
Adrenocorticotropic hormone (ACTH) to stimulate adrenal glands, 44
Agammaglobulinemia, missing, 79
Age factor in drug dosage, 135
Allergy. See also *Asthma; Eczema; Food allergy.*
  and cow's milk protein, 117
  desensitization, overuse of, 23
  food, misdiagnosing, 27
  hyposensitization for asthma, underuse, 24
  intestinal, diagnosis from eosinophils in stool, 21
  milk. See *Milk allergy.*
Allergy (*Continued*)
  overdiagnosis, 23
  pitfalls in, 23–8
  recognition, failure of, 76
  symptoms, alleviating, 27
Anemia
  hemolytic, reticulocyte count in, 92
  iron therapy, 91
  sickle cell, underuse of transfusions in, 94
  transfusions for, 92
Anomalies, congenital, cardiac, overuse of surgery for, 31
Anorexia due to thyroid overdosage, 50
Antibacterials. See *Antibiotics.*
Antibiotics. See also specific drugs.
  after exchange transfusion, 129
  choice of, 126–7
  for asthma, 25
  for staphylococcal infections, 81
  for urinary frequency, misuse, 86
  in otitis media, 80–81
  incorrect, 127–8
  prophylactic misuse, 78
Antihistaminics for asthma, 26
Antimicrobial agents. See *Antibiotics.*
Antiseptic solutions, failure to inactivate hepatitis virus, 123
Antitoxin
  foreign, second doses, 102
  tetanus, overuse, 101
Appetite, disorders, anorexia, due to thyroid overdosage, 50
Aspirin. See *Acetylsalicylic acid.*
Asthma. See also *Allergy.*
  antibiotics for, 25

Asthma (*Continued*)
antihistaminics for, 26
complications, treatable, failure to exclude, 25
diagnosis, failing to make, 26
hydration during attacks, failure to maintain, 26
hyposensitization for, underuse, 24
pollen, relation to surgery, 24
steroids in, prolonged use, 25
wheezing not always due to, 25
Athyrosis, diagnosis, difficulty of, 46

BACTERIA
handwashing for removal of, 138, 139
infections, response to therapy, 124
Bacteriologic safety of milk, 114–15
Bacteriuria, quantitative, misuse of, 85
Blood. See also *Anemia; Hemoglobin.*
cells, white. See *Leukocytes.*
coagulation studies, routine, 19
in stools, inappropriate tests for, 21
platelet counts, inaccuracy, 20
pressure
determination, cuff for, 13
in legs, failing to obtain, 13
transfusion
antibiotics after, 129
exchange, overuse in hyperbilirubinemia, 94–6, 99–100
for anemia, 92
for ulcerative colitis, overuse, 69, 94
overuse of whole blood, 93
underuse in sickle cell anemia, 94
unnecessary, 93
volume, expansion, 51
whole, overuse for transfusions, 93
Body temperature. See also *Fever.*
isolated, 12
Bone age, retarded, not synonymous with hypothyroidism, 49
Bowel. See *Intestines.*
Braces, dental, overuse of, 33
Brain damage, underdiagnosis, 81
Breast
feeding, ignorance concerning, 106
hypertrophy, normality of, 43
Buccal mucous membranes, failure to examine, 33

CALCIUM-PHOSPHORUS ratio of milk, 115–16
Cardiac. See *Heart.*
Cardiology. See also *Heart.*
pitfalls in, 29–32
Care, patient, comprehensive, 156–65
Cathartics in constipation, 68
Catheterization, cardiac, overuse, 30
Celiac syndrome, overdiagnosis, 67
Cells, blood, white. See *Leukocytes.*
Chairs, high, wrong kind, 78
Chemical properties of milk for infant feeding, 115–16
Children. See also *Infants; Newborn; Premature infants.*
activity, failing to note, 13, 14
Chloramphenicol
in place of tetracycline, 127
overuse, 124–6
Chlorox, nonpoisonous, 83–4
Clinical arts and assessment of patient's needs, 146–56
Clinical findings, misinterpretation, 72
Clinical practice, pitfalls in, symposium on, **3–170**
Clinical problem, relation to laboratory investigation, 18
Coagulation studies, routine, 19
Colic. See also *Abdomen, pain.*
causes, underdiagnosis of, 70
failure to examine for inguinal hernia, 82
Colitis, ulcerative
medical treatment, prolonged, 69
overuse of transfusions in, 69, 94
Complaint
chief, failing to ask for, 7
mothers', emotional basis, 7
Constipation
diet in, 68
treatment with cathartics, 68

Convulsion, febrile, with high fever, 82
Coproporphyrins, testing for, 22
Cow's milk protein, allergy and, 117
Cysts, fecal, overemphasizing significance of, 21

DEAFNESS. See also *Otitis media.*
in infants, missing, 12
Dehydration. See also *Hydration.*
severity of, failing to recognize, 15
Dental braces, overuse, 33
Dermatologic preparations, overuse, 82
Desensitization, overuse, 23
Developmental status, misdiagnosing, 14
Diabetes mellitus, sugar concentration, 45
Diagnosis
inappropriate for age of patient, 77
resources for, failure to use, 75
Diaper covers, overuse, 83
Diarrhea
diet in, 68
misdiagnosis due to soiled underwear, 68
tea and tea enemas for, 52
Diet. See also *Food; Vitamins.*
in constipation, 68
in diarrhea, 68
low sodium, in heart failure, 29
Digestibility of milk, 117
Digitalis dosage for premature infants, 31
Disease. See also *Diagnosis.*
acute, hospitalization for, 71
care, and collaboration, 165–71
chronic
emotional effects of, 72
institutionalization for, 78
continuous, 8, 9
fluid losses in, 57–8
fluid needs in, 57–8
Froelich's, overdiagnosis of, 43
infectious. See *Infectious diseases.*

Disease (*Continued*)
treatment riskier than, 76
type of, as factor in drug dosage, 135–6
Disinfection of hands, **137–40**
Diuretics, misuse in heart failure, 29
Drug dosage
misuse of simplified methods, 83
pediatric, 133–6
Dysmennorrhea not common during anovulatory cycles, 87

EATING. See also *Diet; Feeding; Food.*
poor, in late infancy, 105
Eczema
steroid treatment, 28
vaccination with, 101
Edema factor in drug dosage, 135
Emotional needs of mother and infant, 111–13
Encephalitis, underdiagnosis, 81
Endocrinology, pitfalls in, 43–50
Enemas, tea, for diarrhea, 52
Eosinophilia, nasal, physiologic, 21
Eosinophils. See also *Leukocytes.*
count, 91
in stool, diagnosing intestinal allergy from, 21
Examination
physical. See *Physical examination.*
rectal, failing to perform, 14
Exchange transfusion in neonatal hyperbilirubinemia, overuse of, 94–6, 99–100

FASTING, maintenance fluids during, 55–7
Feces
blood in, inappropriate tests for, 21
cysts, overemphasizing significance of, 21
eosinophils in, diagnosing intestinal allergy from, 21

Feeding. See also *Diet; Eating; Food.*
breast, ignorance concerning, 106
early morning, elimination of, 105
infant
adequacy of milk supply, 114
convenience of preparations, 114
emotional needs of mother and infant, 111–13
methods, 110–18
pitfalls in, 105–18
comment on, 119–22
Fever. See also *Body temperature; Rheumatic fever.*
due to hepatitis, 78
due to teething, 76–7
high, febrile convulsion with, 82
low-grade, overdiagnosis of, 79–80
of unknown etiology, failing to pursue, 14
Financial limitations on treatment, 73
Fluids. See also *Milk.*
balance, disturbances, potassium in, underuse of, 60–62
deficiency, urine output with, 52
dosage, misuse of simplified methods, 83
imbalance, treatment, 52–3
losses in diseases, 57–8
maintenance
during fasting and thirsting, 55–7
requirements, 56
needs in diseases, 57–8
therapy
controversies, 62–5
parenteral
for fluid requirements, 51
overhydration during, 51
pitfalls in, 51–65
Follow-up, adequate, lack of, 78
Food. See also *Diet; Vitamins.*
accessory, for infants, 106
allergy, misdiagnosing, 27
solid, introduction of, 106
Formulas
for infant feeding, 105
preparation, 106
sterilization, 106
Froelich's disease, overdiagnosis, 43

GAMMA GLOBULIN
concentration, failing to ascertain in infections, 19
for infections, 130
overuse, 130
Gastrointestinal tract. See also *Intestines; Rectum.*
disease, growth retardation with, 49–50
disorders, pitfalls in, 67–70
Genitourinary infection not excluded by absence of white cells from urine, 86
Genitourology, pitfalls in, 85–8
Gingivitis
eruptive, misdiagnosis, 33
ulcerative, necrotizing. See *Vincent's infection.*
Globulin, gamma. See *Gamma globulin.*
Glomerulonephritis. See *Nephritis, glomerular.*
Glucose oxidase, use for routine urine examination, 20
Goiter. See also *Thyroid.*
iodine therapy in, 46
Growing pains, 77
Growth. See also *Diet.*
retardation with renal or gastrointestinal disease, 49–50
variability, 43
Guaiac test, significance, misinterpretation of, 21
Gynecomastia, normality, 43

HANDS
disinfection, **137–40**
washing, inadequate, 123
Handwashing for removal of bacteria, 138, 139
Heart
catheterization, overuse, 30
congenital anomalies, overuse of surgery for, 31

Heart (*Continued*)
disease
congenital, overuse of penicillin therapy, 29
overdiagnosing, 29
failure. See *Heart, insufficiency.*
insufficiency
congestive, diagnosis, missed, 30
diuretics in, misuse, 29
due to glomerulonephritis, 30
due to hypertension, 30
low sodium diet in, 29
lesions, operable, failure to operate on, 32
surgery, risks of, 32
Height, measurements by nurse, 44
Hematologic data, interpretation, percentages in, 91
Hematology, pitfalls in, 91–7
Hemoglobin. See also *Anemia.*
value, failing to obtain, 20
Hepatitis
fever due to, 78
virus, failure of antiseptic solutions to inactivate, 123
Hernia, inguinal, examination for, in colic, 82
High chairs, wrong kind, 78
Hips, failing to evaluate, 14
History
lack of, 8
overreliance on single findings, 72–3
History-taking, pitfalls in, 7–9
Hospitalization for acute diseases, 71
House staff, role of, failing to explain, 71
Hydration. See also *Dehydration.*
during asthmatic attacks, failure to maintain, 26
Hymen, failing to note patency of, 87
Hyperbilirubinemia in newborn, overuse of exchange transfusion for, 94–6, 99–100
Hypertension, heart failure due to, 30
Hyperthyroidism. See also *Goiter.*
medicational, 50
Hypertrophy, tonsillar, overdiagnosing, 11
Hypohydration, oliguria due to, 54–5
Hyposensitization for asthma, underuse, 24
Hyposthenuria
Pitressin urinary concentration test for, 90
urine examination for, 89
Hypothyroidism
diagnosis
difficulty of, 46
with thyroid medication, 46
not synonymous with retarded bone age, 49
thyroid in
failure to use, 45
inadequate amounts, 46

ILLNESS. See *Disease.*
Immunization. See also *Vaccination.*
compulsory, lack of, 102
pitfalls in, 101–103
Infancy, late, poor eating during, 105
Infants. See also *Children; Newborn; Premature infants.*
deafness, missing, 12
emotional needs re feeding, 111–13
feeding. See *Feeding, infant.*
Infection
bacterial, response to therapy, 124
due to listeriosis, 129
genitourinary, not excluded by absence of white cells from urine, 86
respiratory. See under *Respiratory tract.*
staphylococcal, antibacterial solutions for, 81
urinary tract, inadequate therapy, 86
urologic, urinalysis in, 22
Vincent's, 35–41
Infectious diseases
inadequate isolation for, 71
pitfalls in, 123–31
Inguinal hernia, examination for, in colic, 82

Intestinal allergy, diagnosis from eosinophils in stool, 21
Intestines. See also *Gastrointestinal tract; Rectum.*
small, roentgen examination, failure to obtain, 69
Iodine. See also *Goiter; Thyroid.*
in goiter, 46
protein-bound, in diagnosis of thyroid disease, 47–9
Iodine-131 in diagnosis of thyroid disease, 47–9
Iron
parenteral administration, 92
therapy in anemia, 91
Iron-supplemented milk, failure to use, 107–10
Isolation, inadequate, for infectious diseases, 71

KIDNEYS
disease
diagnosis, missed, 87–8
growth retardation with, 49–50
solute load, and solute content of milk, 115

LABORATORY
data
negative, dependence on, 18
overreliance on single findings, 72–3
investigation, relation to clinical problem, 18
reagents, inactive, use of, 18
studies, overuse, 17
testing material, inactive, use of, 18
tests, pitfalls in, 17–22
values, normal, lack of knowledge of, 17
Leukocytes. See also *Eosinophils.*
count
in diagnosis of infections, 131
Leukocytes (*Continued*)
count, in diagnosis of respiratory infection, 19
Listeriosis, infections due to, 129

MATURATION, sexual, late, 43
Meatus, urethral, size of, 85
Medical records, failure to maintain, 77
Medications, full course, 75
Membranes, mucous, buccal, failure to examine, 33
Meningitis, failure to recognize, 129
Metabolism, correction factor for, in drug dosage, 134
Milk. See also *Feeding, infant.*
allergy
changing milk in, 27
overdiagnosis, 27
bacteriologic safety, 114–15
calcium-phosphorus ratio, 115–16
change in, in milk allergy, 27
cost, 116–17
cow's, protein of, and allergy, 117
digestibility, 117
for infant feeding, 105
adequacy of supply, 114
chemical properties, 115–16
iron-supplemented, failure to use, 107–10
phosphorus content, 115–16
solute content, and renal solute load, 115
vitamin supplementation, 118
Mongolism, thyroid in, excessive use, 47
Mothers
complaints, emotional basis, 7
emotional needs re infant feeding, 111–13
terminology, misunderstanding of, 8
Mouth. See also *Teeth.*
trench. See *Vincent's infection.*
Mucous membranes, buccal, failure to examine, 33

NASAL eosinophilia, physiologic, 21
Nephritis, glomerular, heart failure due to, 30
Nephrosis due to Tridione, 87
Nephrotic syndrome due to Tridione, 87
Newborn. See also *Children; Premature infants.*
  hyperbilirubinemia, overuse of exchange transfusion for, 94–6, 99–100
  respiratory distress, chest x-ray in, 22

OBESITY
  factor in drug dosage, 135
  treated as symptom, 43
Odontology, pitfalls in, 33
Oligophrenia, phenylpyruvic, failing to test for, 18
Oliguria due to hypohydration, 54–5
Otitis media
  antibiotic therapy, 80–81
  overdiagnosing, 14
Overhydration during parenteral therapy, 51
Oxyuriasis, asymptomatic, treatment, 124

PAIN
  abdominal. See *Abdomen, pain.*
  growing, 77
Parenteral fluid therapy, overhydration during, 51
Parents, failing to listen to, 7
Patients
  care, comprehensive, 156–65
  needs, inadequate assessment of, relation to treatment, **141–73**
  terminal, heroic treatment, misuse of, 75
Pediatric drug dosage, 133–6
Pediatrics, general, pitfalls in, 71–84
Penicillin
  allergic reactions to, missing, 24
  in congenital heart disease, overuse, 29
Peptic ulcer, overdiagnosis, 69
Pertussis toxoid, neurologic symptoms after, 102
Pharyngitis
  diagnosis from pharyngeal exudate, 19
  streptococcal, misdiagnosis from presence of streptococci, 129
Pharynx, exudate, diagnosing pharyngitis from, 19
Phenylpyruvic oligophrenia, failing to test for, 18
Phosphorus content of milk, 115–16
Physical examination
  deficiencies, 11
  extent, 11
  missing pathologic condition, 12
  overreliance on single findings, 72–3
  pitfalls in, 11–15
  re-examination, 12
Pitfalls in clinical practice, symposium on, **3–173**
Pitressin urinary concentration test for hyposthenuria, 90
Placebos for viral respiratory infections, 130
Platelet counts, inaccuracy, 20
Pollen asthma, relation to surgery, 24
Potassium, underuse in fluid balance disturbances, 60–62
Premature infants. See also *Newborn.*
  digitalis dosage, 31
Protein, cow's milk, and allergy, 117
Protein-bound iodine in diagnosis of thyroid disease, 47–9
Pulse. See also *Blood pressure.*
  femoral, failing to check for, 12
Pyloric stenosis, hypertrophic, reoperation for, 67

RASH, diagnosis by telephone, 77
Reading difficulty, poor grades due to, 81

Records, medical, failure to maintain, 77
Rectum, examination, failing to perform, 14
Referral of mild cases, 77
Renal. See *Kidneys.*
Respiratory distress, chest x-ray in, 22
Respiratory tract. See also *Pharynx.*
  infection
    diagnosis from white blood cell count, 19
    etiologic diagnosis, 130
    viral, placebos for, 130
Retardation, growth, with renal or gastrointestinal disease, 49–50
Reticulocytes
  count, 91
    in hemolytic anemia, 92
Rheumatic fever
  diagnosis, obscured by aspirin administration, 30
  salicylates in, 30
  steroids in, 30
Roentgen examination
  of bowel, failure to obtain, 69
  of chest in respiratory distress, 22

Solutions. See also *Fluids.*
  antibacterial, for staphylococcal infections, 81
  saline, overuse of, 59–60
Staphylococcal infections
  antibacterial solutions for, 81
  treatment, 80
Stenosis, pyloric, hypertrophic, reoperation for, 67
Steroids
  adrenocortical, doses of, 45
  in asthma, prolonged use, 25
  in eczema, 28
  in rheumatic fever, 30
Stools. See *Feces.*
Streptococci, streptococcal pharyngitis misdiagnosed from presence of, 129
Sugar concentration in diabetes mellitus, 45
Surface area in drug dosage, danger of, 136
Surgery
  cardiac, risks of, 32
  relation to pollen asthma, 24
  unnecessary, for physiologic conditions, 82
Syndrome, celiac, overdiagnosis of, 67

SALICYLATES in rheumatic fever, 30
Saline solution, overuse, 59–60
Scarlatina, overdiagnosis, 124
Scarlet fever, overdiagnosis, 124
Schizophrenia, underdiagnosis, 81
Scoliosis, missing, 15
Sepsis, failure to recognize, 129
Sex maturation, late, 43
Sickle cell anemia, underuse of transfusions in, 94
Sixes, rule of, for drug dosage. 134–5
Skin, inspection, in abdominal conditions, 13
Sodium diet, low, in heart failure, 29
Solute content of milk and renal solute load, 115
Solute load, renal, and solute content of milk, 115

TEA and tea enemas for diarrhea, 52
Teeth, braces for, overuse, 33
Teething, fever due to, 76–7
Telephone, diagnosis of rash by, 77
Temperature, body, isolated, 12
Terminology, mothers, misunderstanding of, 8
Tests
  for coproporphyrins, 22
  guaiac, significance of, misinterpretation, 21
  inappropriate, for blood in stools, 21
  laboratory, pitfalls in, 17–22
Tetanus
  antitoxin, overuse, 101
  toxoid, overuse, 102

Tetracycline
differences between, 127
in place of chloramphenicol, 127
indications for, 128
overuse, 128
Therapy
fluid, pitfalls in, 51–65
role in cure, 74
Thirsting, maintenance fluids during, 55–7
Thyroid
disease, iodine-131 in diagnosis of, 47–9
excessive use, 46
in hypothyroidism
failure to use, 45
inadequate amounts, 46
in mongolism, excessive use, 47
medication, difficulty of diagnosing hypothyroidism with, 46
overdosage, 50
Tonsils, hypertrophy, overdiagnosing, 11
Toxoid
pertussis, neurologic symptoms after, 102
tetanus, overuse of, 102
Transfusion. See under *Blood.*
Treatment
heroic, misuse for terminal patients, 75
resources for, failure to use, 75
riskier than disease, 76
Trench mouth. See *Vincent's infection.*
Tridione. See *Trimethadione.*
Trimethadione (Tridione)
nephrosis due to, 87
nephrotic syndrome due to, 87

ULCER, peptic, overdiagnosis of, 69
Ulcerative colitis. See *Colitis, ulcerative.*
Urethra, meatus, size of, 85
Urinalysis
failing to obtain, 21
for hyposthenuria, 89
Urinalysis (*Continued*)
in renal disease, 87–8
in urologic infection, 22
routine, 89–90
use of glucose oxidase for, 20
Urinary tract infection, inadequate therapy, 86
Urination, frequent, misuse of antimicrobial therapy for, 86
Urine. See also *Diuretics; Urination.*
colony count, misuse, 85
concentration test, Pitressin, for hyposthenuria, 90
examination. See *Urinalysis.*
output with fluid deficiency, 52
white cells, absence of, genitourinary infection not excluded by, 86
Urologic infection, urinalysis in, 22

VACCINATION with eczema, 101
Vincent's infection, 35–41
Viruses
diseases, etiologic diagnosis, 79
hepatitis, failure of antiseptic solutions to inactivate, 123
respiratory infections, placebos for, 130
Vitamins
supplementation of milk, 118
supplements, unnecessary, 107

WASHING of hands, inadequate, 123
Water. See also *Fluids.*
intake, high, failure to investigate, 76
Weight. See also *Obesity.*
gain, too rapid, 105
loss due to thyroid overdosage, 50
measurement by nurse, 44
Wheezing, not always due to asthma, 25

X-RAY. See *Roentgen.*